

Lien vers la page ResearcherID : <http://www.researcherid.com/rid/B-5650-2011>

a) Articles originaux publiés ou acceptés dans des journaux à politique éditoriale

Mohamed A, Pellieux C, Papageorgiou P, Lerch R, **Montessuit C**. Role of ERK1/2 activation in microtubule stabilization and glucose transport in cardiomyocytes. *Am. J. Physiol.* 2011 in press.

Montecucco F, Lenglet S, Braunersreuther V, Pelli G, Pellieux C, **Montessuit C**, Lerch R, Deruaz M, Proudfoot AE, Mach F. Single Administration of the CXC Chemokine-Binding Protein Evasin-3 During Ischemia Prevents Myocardial Reperfusion Injury in Mice. *Arterioscler. Thromb. Vasc. Biol.* 2010, 30 : 1371-1377. IF 6.858

Braunersreuther V, Pellieux C, Pelli G, Burger F, Steffens S, **Montessuit C**, Weber C, Proudfoot A, Mach F, Arnaud A. Chemokine CCL5/RANTES inhibition reduces myocardial reperfusion injury in atherosclerotic Mice. *J. Mol. Cell. Cardiol.* 2010, 48 : 789-798. IF 4.859

Isidoro Tavares N, Philip-Couderc P, Baertschi AJ, Lerch R, **Montessuit C**. Identification of Angiotensin II and TNF α as mediators of ATP-dependent potassium channels remodeling in post-infarction heart failure. *Cardiovasc. Res.* 2009, 83 : 726-736. IF 6.127

Krishnan J, Suter M, Windak R, Krebs T, Felley A, **Montessuit C**, Tokarska-Schlattner M, Aasum E, Bogdanova A, Perriard E, Perriard JC, Larsen TS, Pedrazzini T, Krek W. Activation of a HIF1 α -PPAR γ Axis Underlies the Integration of Glycolytic and Lipid Anabolic Pathways in Pathologic Cardiac Hypertrophy. *Cell Metabolism* 2009, 9 : 512-524. IF 17.15

Pellieux C, **Montessuit C**, Papageorgiou I ; Lerch R. Angiotensin II downregulates the fatty acid oxidation pathway in adult rat cardiomyocytes via release of tumour necrosis factor- α . *Cardiovasc. Res.* 2009, 82 : 341-350. IF 6.127

Philip-Couderc P, Isidoro Tavares N, Roatti A, Lerch R, **Montessuit C**, Baertschi AJ. Forkhead transcription factors (Fox) coordinate expression of myocardial K_{ATP} channel subunits and energy metabolism. *Circ. Res.* 2008, 102 : e20-e35. IF 9.854

Montessuit C, Papageorgiou I, Lerch R. Nuclear receptors agonists improve insulin responsiveness in cultured cardiomyocytes through enhanced signaling and preserved cytoskeletal architecture. *Endocrinology* 2008, 149 :1064-1074. IF 5.236

Pellieux C, **Montessuit C**, Papageorgiou I, Lerch R. Inactivation of peroxisome proliferator-activated receptor isoforms α , β/δ and γ mediate distinct facets of hypertrophic transformation of adult cardiac myocytes. *Pflügers Arch.* 2007, 455: 443-454. IF 4.807

Isidoro Tavares N, Philip-Couderc P, Papageorgiou I, Baertschi AJ, Lerch R, **Montessuit C**. Expression and function of ATP-dependent potassium channels in late post-infarction remodeling. *J. Mol. Cell. Cardiol.* 2007, 42: 1016-1025. IF 4.859

Pellieux C, Aasum E, Larsen, TS, **Montessuit C**, Papageorgiou, I, Pedrazzini T, Lerch R. Overexpression of angiotensinogen in the myocardium induces downregulation of the fatty acid oxidation pathway. *J. Mol. Cell. Cardiol.* 2006, 41: 459-466. IF 4.859

Montessuit C, Palma T, Viglino C, Pellieux C, Lerch R. Effects of insulin-like growth factor-1 on the maturation of metabolism in neonatal rat cardiomyocytes. *Pflügers Arch. Eur. J. Physiol.* 2006, 452: 380-356. IF 4.807

Montessuit C, Papageorgiou I, Campos L, Lerch R. Retinoic acids increase expression of GLUT4 in dedifferentiated and hypertrophied cardiac myocytes. *Basic. Res. Cardiol.* 2006, 101: 27-35. IF 3.798

Montessuit C, Rosenblatt-Velin N, Campos L, Papageorgiou I, Pellieux C, Palma T, Lerch R. Regulation of glucose transporters expression in cardiac myocytes. p38 MAPK is a strong inducer of GLUT4. *Cardiovasc. Res.* 2004, 64: 94-104. IF 5.826

Rosenblatt-Velin N, Papageorgiou I, R Lerch, **Montessuit C**. Insulin resistance in adult rat cardiomyocytes undergoing dedifferentiation: role of GLUT4 expression and translocation. *FASEB J* 2004, 18: 872-874. IF 6.721

Morabito D, **Montessuit C**, Rosenblatt-Velin N, Lerch R, Vallotton MB, Lang U. Impaired glucose metabolism in the heart of obese Zucker rats after treatment with phorbol ester. *Int. J. Obes. Relat. Metab. Disord.* 2002, 26: 327-334. IF 4.4832

Rosenblatt-Velin N, **Montessuit C**, Papageorgiou I, Terrand J, Lerch R. Late-onset postinfarction heart failure in rats is associated with upregulation of GLUT1 and downregulation of genes of fatty acid metabolism. *Cardiovasc. Res.* 2001, 52: 407-416. IF 5.826

Remondino A, Rosenblatt-Velin N, **Montessuit C**, Tardy-Cantalupi I, Papageorgiou I, Dorsaz PA, Jorge-Costa M, Lerch R. Altered expression of proteins of metabolic regulation during remodeling of the left ventricle after myocardial infarction. *J. Mol. Cell. Cardiol.* 2000, 32: 2025-2034. IF 3.872

LISTE DE PUBLICATIONS : CHRISTOPHE MONTESSUIT

- Montessuit C**, Papageorgiou I, Tardy-Cantalupi I, Rosenblatt-Velin N, Lerch R. Postischemic recovery of heart metabolism and function : role of mitochondrial fatty acid transfer. *J. Appl. Physiol.* 2000, 89: 111-119. IF 3.037
- Montessuit C**, Thorburn A. Activation of Ras by phorbol esters in cardiac myocytes. Role of guanine-nucleotide exchange factor. *FEBS Lett.* 1999, 460: 57-60. IF 3.415
- Montessuit C**, Thorburn A. Transcriptional activation of the glucose transporter GLUT1 in ventricular cardiac myocytes by hypertrophic agonists. *J. Biol. Chem.* 1999, 274: 9006-9012. IF 5.808
- Tardy-Cantalupi I, **Montessuit C**, Papageorgiou I, Remondino-Müller A, Assimacopoulos-Jeannet F, Morel D, Lerch R. Effect of transient ischemia on the expression of glucose transporters GLUT-1 and GLUT-4 in rat myocardium. *J. Mol. Cell. Cardiol.* 1999, 31: 1143-1155. IF 3.872
- Montessuit C**, Papageorgiou I, Remondino-Müller A, Tardy I, Lerch R. Post-ischemic stimulation of 2-deoxyglucose uptake in rat myocardium: role of translocation of GLUT4. *J. Mol. Cell. Cardiol.* 1998, 30: 393-403. IF 3.872
- Montessuit C**, Papageorgiou I, Tardy I, Lerch R. Effect of nutritional state on substrate metabolism and contractile function in postischemic rat myocardium. *Am. J. Physiol.* 1996, 271: H2060-H2070. IF 3.560
- Montessuit C**, Bonjour JP, Caverzasio J. Expression and regulation of Na-dependent P_i transport in matrix vesicles produced by osteoblast-like cells. *J. Bone Miner. Res.* 1995, 10: 625-631. IF 6.527
- Montessuit C**, Bonjour JP, Caverzasio J. P_i transport regulation by chicken growth plate chondrocytes. *Am. J. Physiol.* 1994, 267: E24-E31. IF 4.456
- Montessuit C**, Caverzasio J, Bonjour JP. Characterization of a P_i transport system in cartilage matrix vesicles. Potential role in the calcification process. *J. Biol. Chem.* 1991, 266: 17791-17797. IF 5.808
- Caverzasio J, **Montessuit C**, Bonjour JP. Stimulatory effect of insulin-like growth factor-1 on renal P_i transport and plasma 1,25-dihydroxyvitamin D_3 . *Endocrinology* 1990, 127: 453-459. IF 5.236

f) Articles de revues publiés dans des journaux sans politique éditoriale

- Montessuit C**, Rosenblatt-Velin N, Lerch R. Metabolic changes in cardiac hypertrophy. *Heart and Metabolism* 9: 3-8, 2000.
- Montessuit C**, Thorburn A. MAP kinase signaling pathways in cardiac myocyte hypertrophy. *Current Topics in Biochemical Research* 1: 145-155, 1999.
- Lerch R, **Montessuit C**. De l'hypertrophie à l'insuffisance cardiaque gauche: rôle du système neuro-humoral. *Schweiz. Rundsch. Med. Prax.* 86: 238-241, 1997.
- Lerch R, Tardy-Cantalupi I, Papageorgiou I, **Montessuit C**. Cellular recovery after ischemia: physiopathologic aspects (in French). *Arch. Mal. Coeur Vaisseaux* 1997, 90: 17-21.
- Caverzasio J, **Montessuit C**, Bonjour JP. Functional Role of P_i Transport in Osteogenic Cells. *News Physiol. Sci.* 1996, 11: 119-125.

j) Thèses

- Glucose for the heart : Expression and trafficking of the GLUT4 glucose transporter studied in isolated cardiomyocytes.** Thèse présentée à la Faculté de Médecine de l'Université de Genève pour obtenir le titre de Privat-docent, 2009.
- Mécanisme et régulation du transport du phosphate inorganique dans la calcification endochondrale.** Thèse présentée à la Faculté des Sciences de l'Université de Genève pour obtenir le grade de Docteur ès Sciences, mention Biologiques. Thèse n° 2681, 1994.

k) Abstracts publiés présentés lors de congrès internationaux

- Montessuit C**, Pellieux C, Asrih M, Papageorgiou I, Lerch R. Differential impact of free fatty acids and PPAR agonists on stimulated glucose transport in cardiomyocytes. *Eur. Heart J.* 2010 ; 31 : S936.
- Pellieux C, Pedrazzini T, **Montessuit C**, Papageorgiou I, Lerch R. Angiotensin II favors progression to heart failure in diabetic hearts: role of myocardial fatty acid oxidation downregulation . *Eur. Heart J.* 2010 ; 31 : S936-S937.
- Montessuit C**, Isidoro Tavares N, Philip-Couderc P, Lerch R, Baertschi AJ. Angiotensin II and TNF α as mediators of ATP-dependent potassium channels remodeling in post-infarction heart failure. *Eur. Heart J.* 2009; 30: S67.
- Montessuit C**, Papageorgiou I, Lerch R. PPAR α or PPAR β/δ activation reduces insulin responsiveness in cultured cardiomyocytes. *Eur. Heart J.* 2009; 30: S215.

LISTE DE PUBLICATIONS : CHRISTOPHE MONTESSUIT

- Isidoro Tavares N, Philip-Couderc P, Baertschi AJ, Lerch R, **Montessuit C**. Altered K_{ATP} expression and electrophysiology in heart failure: Replication *in vitro* with tumor necrosis factor α . J Mol. Cell. Cardiol. 2008, 44 (4): 753-754.
- Isidoro Tavares N, Philip-Couderc P, Baertschi AJ, Lerch R, **Montessuit C**. Altered K_{ATP} expression and electrophysiology in heart failure: Replication *in vitro* with angiotensin II or tumor necrosis factor α . Eur. J. Clin. Invest. 2008, 38 (S1) : 40
- Pellieux C, **Montessuit C**, Papageorgiou I, Lerch R. Role of tumor necrosis factor α in angiotensin II-induced morphologic and metabolic phenotype modification of cardiomyocytes. Eur. J. Clin. Invest. 2008, 38 (S1) : 46
- Montessuit C**, Papageorgiou I, Lerch R. Differential effects of PPAR α , β/δ and γ agonists on cardiomyocytes insulin responsiveness and sensitiveness. 2008, Eur. J. Clin. Invest. 38 (S1) : 52
- Pellieux C **Montessuit C**, Papageorgiou I, Isidoro Tavares N, Lerch R. Modification of the morphologic and metabolic phenotype of cardiomyocytes by angiotensin II is mediated by NF κ B-induced inactivation of PPARs. Eur. Heart. J. 2006, 27 (abstract supplement) : 553.
- Isidoro Tavares N, Philip-Couderc P, Baertschi AJ, Papageorgiou I, Lerch R, **Montessuit C**. Expression and function of K_{ATP} subunits during remodeling of cardiac myocytes. Eur. Heart. J. 2006, 27 (abstract supplement) : 720.
- Derouette L, Papageorgiou I, Lerch R, **Montessuit C**. Stimulation of glucose transport by insulin or by activation of AMP-activated protein kinase (AMPK) is defective in insulin resistant cardiac myocytes: the role of nuclear receptors. Eur. Heart. J. 2006, 27 (abstract supplement) : 875.
- Pellieux C, Aasum E, Larsen TS, **Montessuit C**, Papageorgiou I, Pedrazzini T, Lerch R. Role of AngII in metabolic phenotype adaptation during progression from cardiac hypertrophy to heart failure. J. Mol. Cell. Cardiol. 2005, 38 (6), 1057.
- Pellieux C, **Montessuit C**, Papageorgiou I, Lerch R. ROS mediate AngII-induced metabolic and morphologic phenotype adaptation through PPAR inactivation. J. Mol. Cell. Cardiol. 2005, 38 (6), 1056-1057.
- Montessuit C**, Papageorgiou I, Pellieux C, Lelong E, Lerch R. Prevention of insulin resistance in cardiac myocytes : role of calcium and PPAR γ agonists. J. Mol. Cell. Cardiol. 2005, 38 (6), 1046-1047.
- Isidoro Tavares N, Papageorgiou I, Lerch R, **Montessuit C**. Expression of K_{ATP} subunits during remodeling of cardiac myocytes. J. Mol. Cell. Cardiol. 2005, 38 (6), 1046.
- Pellieux C, **Montessuit C**, Papageorgiou I, Lerch R. Role of peroxisome proliferator-activated receptors (PPARs) in substrate induced-cardiomyocyte phenotype modification. Eur Heart J 2004, 25 (abstract supplement), S636.
- Montessuit C**, Pellieux C, Papageorgiou I, Palma T, Lerch R. Altered glucose metabolism during myocardial remodeling: MEF2 regulates the transcription of glucose transporter GLUT4 in cardiac myocytes. Eur Heart J 2004, 25 (abstract supplement), S178.
- Montessuit C**, Papageorgiou I, Palma T, Lerch R. MEF 2 regulates the transcription of GLUT4 in cardiac myocytes. J. Mol. Cell. Cardiol. 2004, 36 (5), 747.
- Rosenblatt-Velin N, **Montessuit C**, Papageorgiou I, Lerch R. Fatty acids modulated gene expression in adult rat cardiomyocytes in culture. J. Mol. Cell. Cardiol. 2002, 34 (6), A55.
- Rosenblatt-Velin N, **Montessuit C**, Papageorgiou I, Lerch R. Adult rat cardiomyocytes in culture develop transient insulin resistance before hypertrophy. J. Mol. Cell. Cardiol. 2002, 34 (6): A54.
- Montessuit C**, Rosenblatt-Velin N, Papageorgiou I, Lerch R. Retinoic acids enhance metabolic differentiation of cardiac myocytes. J. Mol. Cell. Cardiol. 2002, 34 (6): A44.
- Lerch R, Rosenblatt-Velin N, **Montessuit C**. Surviving myocardium after infarction : does it metabolically adapt ? J. Mol. Cell. Cardiol. 2001, 33 (6): A150.
- Montessuit C**, Rosenblatt-Velin N, Papageorgiou I, Lerch R. Regulation of glucose transporters by growth factors in cardiac myocytes. J. Mol. Cell. Cardiol. 2001, 33 (6): A172.
- Montessuit C**, Thorburn A. Hypertrophic agonists stimulate transcription of glucose transporters in rat neonatal myocytes. Circulation 1998, 98 (17): I-405.
- Tardy-Cantalupi I, Rosenblatt-Velin N, Papageorgiou I, **Montessuit C**, Lerch R. Down-regulation of regulatory proteins of myocardial fatty acid oxidation after a transient ischemia. Eur. Heart J. 1998; 19 (suppl.) : 489.
- Montessuit C**, Papageorgiou I, Tardy I, Rosenblatt-Velin N, Lerch R. Influence of nutritional state on postischemic myocardial recovery: role of carnitine palmitoyltransferase I. Eur. Heart J. 1997, 18 (Suppl. 1): 556.

LISTE DE PUBLICATIONS : CHRISTOPHE MONTESSUIT

- Remondino A, Rosenblatt-Velin N, **Montessuit C**, Tardy I, Papageorgiou I, Dorsaz PA, Schneider J, Lerch R. Alterations of mRNA expression of regulatory proteins of metabolism in remote myocardium following infarction. *J. Mol. Cell. Cardiol* 1997, 29 (7): A85.
- Montessuit C**, Papageorgiou I, Remondino A, Tardy I, Rosenblatt-Velin N, Lerch R. Influence of nutritional state on postischemic myocardial recovery: role of carnitine palmitoyltransferase I. *J. Mol. Cell. Cardiol* 1997, 29 (7): A84.
- Lerch R, **Montessuit C**, Tardy I, Papageorgiou I, Rosenblatt-Velin N. Late changes of substrate metabolism after ischemic injury. *J. Mol. Cell. Cardiol* 1997, 29 (7): A32.
- Montessuit C**, Papageorgiou I, Tardy I, Remondino A, Lerch R. Increased myocardial uptake of 2-deoxyglucose during reperfusion: role of the translocation of GLUT4. *J. Am. Coll. Cardiol.* 1997, 29 (Suppl. 1): 130A.
- Tardy I, **Montessuit C**, Remondino A, Papageorgiou I, Lerch R.. Effect of transient ischemia on the expression of regulatory proteins of substrate métabolisme. *J. Mol. Cell. Cardiol.* 1996, 28: A17.
- Montessuit C**, Papageorgiou I, Tardy I, Remondino A, Lerch R. Increased myocardial uptake of 2-deoxyglucose during reperfusion: role of the translocation of GLUT4. *J. Mol. Cell. Cardiol.* 1996, 28: A34.
- Montessuit C**, Papageorgiou I, Remondino A, Tardy I, Lerch R. Effect of nutritional state on myocardial substrate metabolism and contractile function in postischemic myocardium. *Circulation* 1995, 92 (Suppl. 1): I-771.
- Remondino A, Tardy I, **Montessuit C**, Papageorgiou I, Prentki M; Assimacopoulos F, Jorge-Costa M, Morel D, Lerch R. Short period of myocardial ischemia enhances the expression of glucose transporter GLUT-1 mRNA in rats. *Circulation* 1995, 92 (Suppl. 1): I-386.
- Montessuit C**, Papageorgiou I, Tardy I, Rütishauser W, Lerch R. Effect of nutritional state on substrate metabolism and contractile function in postischemic myocardium. *Eur. Heart J.* 1995, 16 (Suppl 1): 75.
- Montessuit C**, Papageorgiou I, Tardy I, Lerch R. Effect of nutritional state on substrate metabolism and contractile function in normal and postischemic myocardium. *J. Mol. Cell. Cardiol.* 1995, 27 (6): A254.
- Benzi R, **Montessuit C**, Papageorgiou I, Tardy I, Rutishauser W, Lerch R. Improvement of postischemic contractile function by administration of butanedione monoxime early during reperfusion. *J. Mol. Cell. Cardiol.* 1994, 26: LVII.
- Montessuit C**, Caverzasio J, Bonjour JP. Role of bone-forming cells in the expression and regulation of Pi transport activity in matrix vesicles. *Calcif. Tissue Int.* 1993, 52 (Suppl. 1): S49.
- Montessuit C**, Caverzasio J, Bonjour JP. Regulation of Na-dependent Pi transport activity in matrix vesicles isolated from cultured osteogenic cells. *J. Bone Miner. Res.* 1992, 7 (Suppl. 1). S264.
- Montessuit C**, Caverzasio J, Bonjour JP. Relationship between Na-dependent Pi transport in osteogenic cells and matrix vesicles. *Bone and Miner.* 1992, 17 (Suppl. 1): abs. 249.
- Montessuit C**, Caverzasio J, Bonjour JP. Mechanism of Pi accumulation in matrix vesicles and its potential role in the calcification process. *Bone and Miner.* 1992, 17: 306.
- Montessuit C**, Caverzasio J, Bonjour JP. Sodium-dependent phosphate transport system in matrix vesicles: characterization and relationship with mineralizing activity. *J. Bone Miner. Res.* 1990, 5 (Suppl. 2): S233.
- Montessuit C**, Caverzasio J, Bonjour JP. Identification of a phosphate carrier in isolated matrix vesicles. *Calcif. Tissue Int.* 1990, 46 (Suppl. 2): A24.

I) Abstracts publiés présentés lors de congrès nationaux

- Asrih M, Brulhart-Meynet MC, James R, Lerch R, Papageorgiou I, Pellieux C, **Montessuit C**. Impaired stimulation of glucose transport in cardiac myocytes exposed to free fatty acids and VLDL. *Cardiovasc. Med.* 2011; 14 (Suppl. 20), 7S.
- Asrih M, Papageorgiou I, **Montessuit C**. CT-1 induces insulin resistance in cardiomyocytes. *Cardiovasc. Med.* 2011; 14 (Suppl. 20), 47S.
- Asrih M, Pellieux C, Papageorgiou I, **Montessuit C**. ERK inhibition restores insulin sensitivity in adult rat cardiomyocytes through microtubules stabilization. *Arch. Cardiovasc. Dis. Suppl.* 2010, 2 (suppl. 1), 12.
- Pellieux C, Pedrazzini T, **Montessuit C**, Papageorgiou I, Lerch R. Role of down-regulation of the fatty acid oxidation pathway in the progression to heart failure. *Kardiovaskuläre Med.* 2010; 13 (suppl 18): 7S.
- Montessuit C**, Isidoro Tavares N , Philip-Couderc P, Baertschi AJ, Lerch R. L'angiotensine II et le TNF α sont des médiateurs du remodelage des canaux potassiques dépendant de l'ATP dans la défaillance cardiaque. *Arch. Cardiovasc. Dis.* 2009, 102 (suppl. 1), S67.

LISTE DE PUBLICATIONS : CHRISTOPHE MONTESSUIT

- Montessuit C**, Papageorgiou I, Lerch R. L'activation des PPAR α ou des PPAR β réduit la réponse des cardiomyocytes à l'insuline. Arch. Cardiovasc. Dis. 2009, 102 (suppl. 1), S23.
- Montessuit C**, Papageorgiou I, Lerch R. PPAR α or PPAR β activation reduces insulin responsiveness in cultured cardiomyocytes. Kardiovaskuläre Med. 2009, 12 (suppl 17): 43S
- Isidoro Tavares N, Philip-Couderc P, Papageorgiou I, Baertschi AJ, Lerch R, **Montessuit C**. Remodeling of ATP-dependent potassium channels in the infarct border zone of failing hearts. Kardiovaskuläre Med. 2007, 10 (suppl. 13): 10S
- Montessuit C**, Papageorgiou I, Viglino C, Lerch R. Insulin-stimulated glucose transport in cardiomyocytes: role of microtubules. Kardiovaskuläre Med. 2007, 10 (suppl. 13): 42S
- Derouette L, Papageorgiou I, Lerch R, **Montessuit C**. Stimulation of glucose transport by activation of AMP-activated protein kinase (AMPK) is defective in insulin resistant cardiac myocytes: a potential mechanism aggravating metabolic stress by insulin resistance. Kardiovaskuläre Med. 2006, 9 (suppl. 12): S63
- Pellieux C, **Montessuit C**, Papageorgiou I, Lerch R. Modification of cardiomyocytes morphologic and metabolic phenotype by angiotensin II is mediated by Nf κ B-induced inactivation of PPAR isoforms. Kardiovaskuläre Med. 2006, 9 (suppl. 12): S30.
- Isidoro Tavares N, Papageorgiou I, Lerch R, A. Baertschi, **Montessuit C**. Expression and function of K_{ATP} subunits during remodeling of cardiac myocytes. Kardiovaskuläre Med. 2005, 8 (suppl. 10): S7.
- Pellieux C, **Montessuit C**, Papageorgiou I, Lerch R. Reactive oxygen species mediate angiotensin II-induced metabolic and morphologic phenotype modification by PPAR inactivation. Kardiovaskuläre Med. 2005, 8 (suppl. 10): S7.
- Montessuit C**, Pellieux C, Papageorgiou I, Lerch R. Prevention of insulin resistance in cardiac myocytes: role of nuclear receptors. Kardiovaskuläre Med. 2005, 8 (suppl. 10): S6.
- Montessuit C**, Papageorgiou I, Pellieux C, Lelong E, Lerch R. Prevention of insulin resistance in cardiac myocytes: role of calcium and PPAR gamma agonists. Kardiovaskuläre Med 2005, 8 (suppl. 8): S38
- Isidoro Tavares I, **Montessuit C**, Papageorgiou I, Lerch R. Expression of ATP-dependent potassium channels subunits during remodeling of cardiac myocytes. Kardiovaskuläre Med 2005, 8 (suppl. 8): S52.
- Pellieux C, Aasum E, Larsen TS, Papageorgiou I, **Montessuit C**, Pedrazzini T, Lerch R. Role of angiotensin II in metabolic phenotype adaptation during progression from cardiac hypertrophy to heart failure. Kardiovaskuläre Med 2005, 8 (suppl. 8): S52.
- Pellieux C, **Montessuit C**, Papageorgiou I, Lerch R. Reactive oxygen species mediate angiotensin II-induced metabolic and morphologic phenotype adaptation through PPAR inactivation. Kardiovaskuläre Med 2005, 8 (suppl. 8): S50.
- Montessuit C**, Papageorgiou I, Palma T, Lerch R. Altered glucose metabolism during myocardial remodeling: MEF2 regulates the transcription of glucose transporter GLUT4 in cardiac myocytes. Kardiovaskuläre Med. 2004, 7 (suppl. 6): S10.
- Rosenblatt-Velin N, **Montessuit C**, Papageorgiou I, Lerch R. Reduced translocation rather than decreased expression of glucose transporter GLUT4 mediates insulin resistance in cardiomyocytes undergoing remodeling. Kardiovaskuläre Med. 2003, 6 (suppl 5): 51S.
- Montessuit C**, Papageorgiou I, Rosenblatt-Velin N, Palma T, Lerch R. Retinoic acids prevent metabolic dedifferentiation of cardiomyocytes. Kardiovaskuläre Med. 2003, 6 (suppl 5): 51S.
- Montessuit C**, Rosenblatt-Velin N, Papageorgiou I, Lerch R. Differential regulation of glucose transporters by growth factors in cardiac myocytes. Kardiovaskuläre Med. 2001, 4 (suppl 3): 39S.
- Tardy-Cantalupi I, Rosenblatt-Velin N, Papageorgiou I, **Montessuit C**, Lerch R. Diminution de l'expression des protéines impliquées dans la régulation du métabolisme des acides gras après une ischémie myocardique de courte durée. Schweiz. Med. Wschr. 1998 ; 128 (suppl. 97): 17S.
- Rosenblatt-Velin N, Tardy I, **Montessuit C**, Papageorgiou I, Lerch R. Altérations régionales de l'expression des protéines du métabolisme du glucose et des acides gras après un infarctus. Schweiz. Med. Wschr. 1998 ; 128 (suppl. 97): 17S.
- Remondino-Müller A, **Montessuit C**, Tardy I, Papageorgiou I, Schneider J, Dorsaz PA, Costa M, Morel D, Lerch R. Linksventrikuläres "Remodeling" nach Myokardinfarkt: Veränderung der Expression stoffwechselregulierender Proteine im nicht-infarzierten Myokard. Z. Kardiol. 1997, 86 (Suppl.2).

LISTE DE PUBLICATIONS : CHRISTOPHE MONTESSUIT

Remondino-Müller A, **Montessuit C**, Tardy I, Papageorgiou I, Rosenblatt-Velin N, Schneider J, Dorsaz PA, Jorge-Costa M, Morel D, Lerch R. Remodelage du ventricule gauche après un infarctus : changements de l'expression de protéines régulatrices du métabolisme dans le myocarde non-infarcté. *Schweiz. Med. Wschr.* 1997, 127 (Suppl. 85): 17S.

Montessuit C, Papageorgiou I, Remondino-Müller A, Tardy I, Rosenblatt-Velin N, Lerch R. Effet de l'état nutritionnel sur la récupération du myocarde après une ischémie : rôle de la carnitine palmitoyltransférase I. *Schweiz. Med. Wschr.* 1997, 127 (Suppl. 85): 30S.

Tardy I, **Montessuit C**, Remondino-Müller A, Papageorgiou I, Roche E, Prentki M, Assimacopoulos F, Jorge-Costa M, Morel D, Lerch R. Enhancement of the expression of glucose transporter GLUT-1 mRNA after a short period of myocardial ischemia in rats. *Z. Kardiol.* 1996, 86 (suppl. 2): 196.

Tardy I, **Montessuit C**, Remondino-Müller A, Papageorgiou I, Assimacopoulos F, Prentki M, Jorge-Costa M, Lerch R. Augmentation de l'expression du transporteur du glucose GLUT-1 après une ischémie myocardique de courte durée chez le rat. *Schweiz. Med. Wschr.* 1996, 126 (Suppl. 74/II): 20S.

Montessuit C, Papageorgiou I, Remondino-Müller A, Tardy I, Lerch R. Augmentation de l'accumulation de 2-déoxyglucose pendant la reperfusion postischémique du myocarde: rôle de translocation du transporteur de glucose GLUT-4. *Schweiz. Med. Wschr.* 1996, 126 (Suppl. 74/II): 9S.

Montessuit C, Papageorgiou I, Tardy I, Rutishauser W, Lerch R. Effect of nutritional state on myocardial substrate metabolism and contractile function in normal and postischemic myocardium. *Z. Kardiol.* 1995, 84 (Suppl. I): 161.

Tardy I, **Montessuit C**, Remondino A, Papageorgiou I, Rutishauser W, Lerch R. Expression de gènes codant pour des protéines clés du métabolisme pendant la reperfusion dans le coeur de rat. *Schweiz Med Wschr* 1995; 125 (Suppl. 66): 31S

Montessuit C, Benzi R, Papageorgiou I, Tardy I, Rutishauser W, Lerch R. Influence de l'état nutritionnel sur le métabolisme oxydatif et la fonction contractile dans le myocarde normal et post-ischémique. *Schweiz. Med. Wschr.* 1995, 125 (Suppl. 66): 16S.